

BC 2398

Description

BC 2398 Wax is a liquid alkylated silicone. This is a so called 'silicone wax' and is a free flowing liquid that combines the properties of a typical silicone whilst also exhibiting some of the properties normally associated with waxes.

Product Features

- Excellent water repellency
- Enhances gloss
- Promotes spreading of other waxes, pigments and fillers
- Over paintability
- Easy to handle

Applications

BC 2398 Wax can be used in a variety of car care applications but is especially suited for use in leather substrate conditioners and in formulations containing high loadings of fillers and pigments where it enhances spreading, rub-out and helps prevent clumping of dispersed materials.

Method of Use

BC 2398 Wax can be used in a wide range of car care formulations; the amount required depends on the specific application. It is soluble in mineral oils and cyclomethicone. It is insoluble in water & IPA.

Toxicity and Handling

BC 2398 Wax is basically non-hazardous with a very low order of toxicity. It has a shelf life of 12 months from date of manufacture.

See the Material Safety Data Sheet for more information.

Storage and Shelf Life

Store in cool and dry conditions. When stored at below 32°C the product has a shelf life of 12 months from the date of manufacture. Do not allow the product to freeze.

Typical Properties

Colour	3 max (Gardiner)
Appearance	Clear liquid
Viscosity (20°C)	20 to 100 mPa.s
Active content	100%

Technical Service

Our technical and sales staff have considerable experience of the use of silicone products in a very wide variety of industries and the benefit of this experience is freely available to all our customers.

Basildon Chemical Co. Ltd.

(a Momentive Group Company)
Kimber Road, Abingdon, Oxon, OX14 1RZ
Telephone: 44 (1235)526677
csab@momentive.com
www.momentive.com/abingdon

Although every effort has been made to ensure that the information contained in this data sheet is reliable, we cannot be held responsible for the correctness of the information or for any loss, injury or damage which may result from its use. Also suggestions of uses should not be taken as inducements to infringe any particular patent.