



**Silwet**   
BY MOMENTIVE

## **Agricultural Adjuvants and Antifoams Product Selection Guide**

---

**AgroSpred**   
BY MOMENTIVE

**SAG**   
BY MOMENTIVE

# Proven Products that Offer Spray Treatments

## What They Need to Outperform

Good  Better  Excellent  Exceptional 

Product	Description	Coverage		Uptake		Application Efficiency				Mix Compatibility				Sustainability	
		Super Spreading	Adhesion to Leaf	Stomatal Infiltration	Cuticular Penetration	Protective Film Forming	Drift Reduction	Low Temperature Use	Low Foaming	Robust to Hard Water	Vegetable Oil Compatibility	Mineral Oil Compatibility	Water Conditioning	pH Range	Regulatory Status

### Silwet Super Spreaders and Super Penetrants

Silwet L-77*/L-77 AG Super Spreader	High-performance super-spreader with exceptional spreading and stomatal infiltration when needed	★★★★	★★	★★★★	★★		▲			★★	★★			6.5-7.5	EPA 40 CFR§180.910, BCS LISTED, OMRI LISTED
Silwet* ECO Super Spreader	High-performance super spreader for organic farming	★★★★	★★	★★★	★★		▲	★★★★	★★	★★	★★			6.5-7.5	EPA 40 CFR§180.910, IBD CERTIFIED, OMRI LISTED
Silwet 806 Super Spreader	Low-foaming super spreader with low freezing point	★★★★	★★	★★★	★★		▲	★★★★	★★	★★	★★			6.5-7.5	EPA 40 CFR§180.910, OMRI LISTED
Silwet LF Super Spreader	Lowest foaming super spreader	★★★	★★	★★	★★		▲	★★★★	★★★★	★★	★★			6.5-7.5	
Silwet 408 Super Spreader	High-performance super spreader compatible with vegetable oils	★★★★	★★	★★★★	★★			★★		★★	★★			6.5-7.5	EPA 40 CFR§180.910, OMRI LISTED
Silwet 618 Super Spreader	Super spreader with low stomatal infiltration	★★★	★★★		★★					★★	★★			6.5-7.5	EPA 40 CFR§180.910
Silwet 625 Super Penetrant	Super penetrant for tank-mix herbicide applications	▲	★★		★★★					★★	▲			6.5-7.5	EPA 40 CFR§180.920
Silwet OC Adjuvant Concentrate	Adjuvant concentrate with improved spreading and adhesion for use with crop oil	★★	★★		★★					★★	★★	★★		6.5-7.5	EPA 40 CFR§180.910
Silwet 641 Adjuvant Concentrate	Adjuvant concentrate with excellent spreading for use with MSO	★★★	★★		★★					★★	★★★★			6.5-7.5	EPA 40 CFR§180.910
Silwet HS 604 Adjuvant	Low-foaming super spreader / super penetrant that is stable across a wide pH range for in-can formulation	★★★	★★★		★★			★★	★★					4-10	EPA 40 CFR§180.920
Silwet HS 312 Adjuvant	Super spreader / super penetrant that is stable across a wide pH range for in-can formulation	★★★	★★★		★★				★★	▲				3-12	EPA 40 CFR§180.910
Silwet HSEC Adjuvant	Clear, super spreader / super penetrant that is stable across a wide pH range for in-can formulation	★★★	★★★		★★				★★	▲				3-12	

### Silwet Multifunctional Spreaders and Penetrants

Silwet STIK -2 Super Spreader	Film forming, rainfast super spreader with minimal stomatal infiltration	★★★	★★★		▲	★★★★			★★	★★				6.5-7.5	EPA 40 CFR§180.920
Silwet DRS-60 Spreader	High-performance spreader-wetter with excellent drift reduction	★★	★★		★★		★★	★★★★		★★				6.5-7.5	EPA 40 CFR§180.920
Silwet FUSION Super Penetrant	Multifunctional penetrant with improved spreading, low drift, low foam, and water conditioning	▲	★★		★★		★★	▲	★★	★★		★★★★		6.5-7.5	EPA 40 CFR§180.920

### AgroSpreed Spreaders and Penetrants

AgroSpreed* Prime Adjuvant	Excellent adhesion and penetration for herbicides	★★	★★★		★★					★★	▲			6.5-7.5	EPA 40 CFR§180.910, OMRI LISTED
AgroSpreed FLEX Adjuvant	Improved spreading and adhesion across a wide range of spray volumes	★★	★★		★★			★★		★★	▲			6.5-7.5	EPA 40 CFR§180.910, OMRI LISTED
AgroSpreed 200 Adjuvant	Improved spreading mineral oil adjuvant for insecticides and fungicides	★★	★★		★★					★★		★★		6.5-7.5	EPA 40 CFR§180.910
AgroSpreed 910 Adjuvant	MSO-based adjuvant with improved penetration and spray coverage	▲	★★		★★					★★	★★			6.5-7.5	EPA 40 CFR§180.910
AgroSpreed 960 Adjuvant	d-Limonene-infused adjuvant for insecticide and fungicide applications	★★	★★		★★			▲	▲	▲	★★			4-10	
AgroSpreed 106 Adjuvant	Spreader / penetrant that is stable across a wide pH range for in-can formulation	★★	★★		★★				★★	★★				3-12	

Product	Description	Dose Rates	Mix Compatibility			Performance			Productivity		Sustainability	
			Aqueous Formulations	Non-Aqueous Formulations	Tank-Side Addition	Defoaming	Durability	Range of Use †††	Dispersability	Low Dosage	Regulatory Status	
SAG* 1572 Antifoam Emulsion	15% actives, high-performance silicone antifoam emulsion with wide use range	0.01 - 0.5% formulation <sup>†</sup> / 0.5 - 50 ppm tank side	Yes	No	Yes	★★★★	★★★★	★★★★	★★★★	★★★★	40 CFR§180.920	
SAG 1538 Antifoam Compound	100% actives, high-performance silicone antifoam compound with wide use range	0.01-0.2%	Limited	Yes	No	★★★★	★★★★	★★★★		★★★★	40 CFR§180.910	
SAG 1599 Antifoam Compound	100% actives, high-performance silicone antifoam compound for high-electrolyte formulations	0.005-0.2%	Limited	Yes	No	★★★★	★★★★	★★		★★★★	40 CFR§180.910	
SAG 10 Antifoam Emulsion	10% actives, silicone antifoam emulsion with excellent defoaming for tank-mix applications	0.25-1.0% formulation <sup>†</sup> / 20 - 200 ppm tank side	Yes	No	Yes	★★	▲	★★	★★	★★	40 CFR§180.910, 40 CFR§180.920 <sup>†††</sup> , 40 CFR§180.930	
SAG 30 Antifoam Emulsion	30% actives, silicone antifoam emulsion with excellent defoaming for tank-mix applications	0.1 - 0.5% formulation <sup>†</sup> / 100 ppm tank side	Yes	No	Yes	★★	▲	★★	★★	★★	40 CFR§180.910, 40 CFR§180.930	
SAG 100 Antifoam Compound	100% actives, food-grade silicone antifoam for non-aqueous systems	0.1-0.5%	No	Yes	No	★★	★★	★★		★★	40 CFR§180.960	
SAG 47 Antifoam Compound	100% actives, OMRI-Listed silicone antifoam compound for non-aqueous formulations	0.1-0.5%	No	Yes	No	★★	★★	★★		★★	40 CFR§180.960, OMRI LISTED, 21 FR§173.340 <sup>††</sup>	
Antifoam OR-10 Emulsion	10% actives, OMRI-Listed food-grade silicone antifoam emulsion with excellent defoaming properties	0.25 - 1.0% formulation <sup>†</sup> / 5 - 100 ppm tank side	Yes	No	Yes	★★	▲	★★	★★	★★	40 CFR§180.910, OMRI LISTED, 21 CFR§173.340 <sup>††</sup>	
Antifoam OR-90 Compound	100% actives, OMRI-Listed food-grade silicone antifoam for fermentation and high alkaline formulations	0.05-0.5%	No	Yes	No	★★	★★	★★		★★	40 CFR§180.960, OMRI LISTED, 21 FR§173.340 <sup>††</sup>	
SAG 1529 Antifoam Concentrate	78% actives, silicone antifoam concentrate for aqueous in-can formulations	0.1-0.5%	Yes	No	No	★★	★★	▲	★★	★★	40 CFR§180.910	
SAG 471 Antifoam Concentrate	100% actives, silicone antifoam with good dispersibility and excellent defoaming for fermentation	10-200 ppm in process liquid	Fermentation Processes			★★	★★	▲	★★	★★	40 CFR§180.910	
SAG 5693 Antifoam Concentrate	100% actives, OMRI-Listed food-grade silicone antifoam compound for fermentation	10-200 ppm in process liquid	Fermentation Processes			★★	★★	★★	★★	★★	21 CFR§173.340 <sup>††</sup> , OMRI LISTED	

†Recommended concentration range for when foam control of the fully-diluted product is desired. If foam control is only needed during downpacking, much lower concentrations will be effective.  
 †† Compositionally compliant with 21 CFR 173.340 and may be considered for use as a defoaming agent in processing foods in accordance with the conditions specified and limitations imposed by this regulation.

††† Limited to no more than 16.67% in the final pesticide formulation.  
 †††† Range of use = defoaming across a broad range of formulations.



260 Hudson River Rd,  
Waterford, NY 12188

+1 800 295 2392  
+1 607 786 8131

## Customer Service Centers

### Americas

+1 800 295 2392  
+1 614 986 2495

### Europe, Middle East, Africa and India

+00 800 4321 1000  
+40 212 534754

### China

+800 820 0202

### Japan

+81 276 20 6182

### Latin America

+55 (11) 4534 9600

### All Other Countries

+60 3 9206 1543

Email [commercial.services@momentive.com](mailto:commercial.services@momentive.com)

[www.momentive.com](http://www.momentive.com)

### Patent Status

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute the permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

### Product Safety, Handling and Storage

Customers should review the latest Safety Data Sheet (SDS) and label for product safety information, safe handling instructions, personal protective equipment if necessary, emergency service contact information, and any special storage conditions required for safety. Momentive Performance Materials (MPM) maintains an around-the-clock emergency service for its products. SDS are available at [www.momentive.com](http://www.momentive.com) or, upon request, from any MPM representative. For product storage and handling procedures to maintain the product quality within our stated specifications, please review Certificates of Analysis, which are available in the Order Center. Use of other materials in conjunction with MPM products (for example, primers) may require additional precautions. Please review and follow the safety information provided by the manufacturer of such other materials.

### Limitations

Customers must evaluate Momentive Performance Materials products and make their own determination as to fitness of use in their particular applications.

THE MATERIALS, PRODUCTS AND SERVICES OF MOMENTIVE PERFORMANCE MATERIALS INC. AND ITS SUBSIDIARIES AND AFFILIATES (COLLECTIVELY "SUPPLIER"), ARE SOLD SUBJECT TO SUPPLIER'S STANDARD CONDITIONS OF SALE, WHICH ARE INCLUDED IN THE APPLICABLE DISTRIBUTOR OR OTHER SALES AGREEMENT, PRINTED ON THE BACK OF ORDER ACKNOWLEDGMENTS AND INVOICES, AND AVAILABLE UPON REQUEST. ALTHOUGH ANY INFORMATION, RECOMMENDATIONS, OR ADVICE CONTAINED HEREIN IS GIVEN IN GOOD FAITH, SUPPLIER MAKES NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, (i) THAT THE RESULTS DESCRIBED HEREIN WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN INCORPORATING ITS PRODUCTS, MATERIALS, SERVICES, RECOMMENDATIONS OR ADVICE. EXCEPT AS PROVIDED IN SUPPLIER'S STANDARD CONDITIONS OF SALE, SUPPLIER AND ITS REPRESENTATIVES SHALL IN NO EVENT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS OR SERVICES DESCRIBED HEREIN.

Each user bears full responsibility for making its own determination as to the suitability of Supplier's materials, services, recommendations, or advice for its own particular use. Each user must identify and perform all tests and analyses necessary to assure that its finished parts incorporating Supplier's products, materials, or services will be safe and suitable for use under end-use conditions. Nothing in this or any other document, nor any oral recommendation or advice, shall be deemed to alter, vary, supersede, or waive any provision of Supplier's standard Conditions of Sale or this Disclaimer, unless any such modification is specifically agreed to in a writing signed by Supplier. No statement contained herein concerning a possible or suggested use of any material, product, service or design is intended, or should be construed, to grant any license under any patent or other intellectual property right of Supplier covering such use or design, or as a recommendation for the use of such material, product, service or design in the infringement of any patent or other intellectual property right.

Momentive and the Momentive logo are trademarks of Momentive Performance Materials Inc.

\*Silwet, SAG, AgroSpred and Silwet L-77 are trademarks of Momentive Performance Materials Inc.

Copyright 2019. Momentive Performance Materials Inc. All rights reserved.