

MOMENTIVE™

inventing possibilities

NORTH AMERICA

HAIR CARE
SELECTION GUIDE







See and Feel the Possibilities

Healthy hair should be soft, full, strong, and shiny, not heavy, greasy or brittle. Our growing portfolio of multifunctional specialized ingredients can help repair and restore while conditioning each strand, leaving hair easier to comb, wet or dry. By covering each hair shaft with a protective, conditioning film, our silicone ingredients offer softness and manageability. Use them to create a touchable feel and thrilling shine that will make your consumers take notice.

HAIR CARE SELECTION GUIDE - NORTH AMERICA

Product Name	INCI Name	Typical Use Level	Primary Functions
EMULSIONS			
SilForm® HyFlex emulsion	Bis-Ethylhydroxycyclohexyl Methacrylate Dimethicone/ Butyl Acrylate Crosspolymer	4% to 8%	<ul style="list-style-type: none"> • Curl memory • Definition
Silsoft® AX-E PMF emulsion	Bis-Cetearyl Amodimethicone (and) Ceteareth-7 (and) Ceteareth-25	1% to 3%	<ul style="list-style-type: none"> • Color retention • Thermal protection without negative sensory feel
Silsoft CLX-E emulsion	Dipropylene Glycol (and) Polysilicone-29	1% to 8%	<ul style="list-style-type: none"> • Durable thermal straightening • Restores damage with bond building capability
Silsoft EMU 121N emulsion	Dimethiconol (and) Laureth-4 (and) Laureth-23 (and) PEG-55 Stearate	1% to 5%	<ul style="list-style-type: none"> • Hair manageability
Silsoft 253 emulsion	Amodimethicone (and) C11-15 Pareth-7 (and) Laureth-9 (and) Glycerin (and) Trideceth-12	2% to 5%	<ul style="list-style-type: none"> • Fiber alignment • Faster drying
Silsoft Q PMF emulsion	Silicone Quaternium-18 (and) Trideceth-6 (and) Trideceth-12	1% to 5%	<ul style="list-style-type: none"> • Increased volume • Repair without buildup
Silsoft Silk PMF emulsion	Silicone Quaternium-18 (and) Trideceth-6 (and) Deceth-7 (and) Cocamidopropyl Betaine (and) Dipropylene Glycol	1% to 3%	<ul style="list-style-type: none"> • Repair without buildup • Natural curl definition

	Hair Type		Typical Benefits												Potential Product Categories																		
	Damaged	Thin	Tight/Textured Curl	Virgin/Undamaged	Wavy/Soft Curl	Anti-Breakage	Color Retention	Curl Memory/Definition	Detangling/Combing Ease	Enhanced Penetration	Enhanced Spreading	Foam Booster/Stabilizer	Fragrance Retention	Humidity Resistance	Increased Volume	Moisturization	Natural Curl/Wave Definition	Reduced Static	Repair	Shine	Smooth/Straight Styles	Styling/Hold	Thermal Protection	Clear Shampoo	Detangling Spray	Hair Dye	Leave-On Milk	Leave-On Conditioner	Rinse-Off Conditioner	Shampoo	Shine Spray	Styling Products (Spray, Gel, Mousse)	Treatment Ampoule (Emulsion)
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			

HAIR CARE SELECTION GUIDE - NORTH AMERICA

Product Name	INCI Name	Typical Use Level	Primary Functions
FLUIDS			
SilForm* INX fluid	Bis-Carboxydecyl Dimethicone	1% to 2%	<ul style="list-style-type: none"> • Fragrance retention
Silsoft* 1215 fluid†	Cyclopentasiloxane (and) Dimethiconol	1% to 70%	<ul style="list-style-type: none"> • Reduced volume
Silsoft A+ fluid†	PEG-40/PPG-8 Methylaminopropyl/ Hydroxypropyl Dimethicone Copolymer	1% to 3%	<ul style="list-style-type: none"> • Moisturization
Silsoft A-843 fluid†	Bisamino PEG/PPG-41/3 Aminoethyl PG-Propyl Dimethicone	1% to 3%	<ul style="list-style-type: none"> • Pretreatment and post conditioning of dying process
Silsoft AX fluid	Bis-Cetearyl Amodimethicone	0.5% to 2%	<ul style="list-style-type: none"> • Color retention • Thermal protection
Silsoft B-3020 fluid	Isododecane (and) Dimethicone (Proposed)	1% to 70%	<ul style="list-style-type: none"> • Reduced volume • D5-free
Silsoft ETS fluid	Ethyl Trisiloxane	1% to 90%	<ul style="list-style-type: none"> • Faster drying (volatile solvent)
Silsoft Spread MAX fluid	Methoxy PEG-8 Dimethylsilylethyl Trimethylsilane (and) Trideceth-5 (and) Meroxapol 172	0.1% to 1%	<ul style="list-style-type: none"> • Spreading • Intensifies color and dye
SilShine* 151 fluid	Phenylpropyldimethylsiloxysilicate	0.3% to 1%	<ul style="list-style-type: none"> • Durable high shine
SF1708 fluid	Amodimethicone	0.2% to 1%	<ul style="list-style-type: none"> • Fiber alignment • Faster drying
SF1550 fluid	Phenyl Trimethicone	1% to 5%	<ul style="list-style-type: none"> • Immediate shine

† Low cyclic version also available

* SilForm, Silsoft and SilShine are trademarks of Momentive Performance Materials Inc.

Customer Service Centers

Worldwide

Email: commercial.services@momentive.com

Americas

+1 800 295 2392
+1 614 986 2495

Europe, Middle East, Africa and India

00800 4321 1000
+40 213 044229

Latin America

+55 11 4534 9660

Asia Pacific

China
800 820 0202
+86 21 3860 4892

All Other Countries
+60 3 9206 1543

Japan

0120 975 400
+81 276 20 6182

Disclaimer

FORMULATIONS ARE ILLUSTRATIVE EXAMPLES AND DO NOT REPRESENT COMMERCIALIZED PRODUCTS. They have not been subjected to extensive testing and Momentive makes no representation or warranty of any kind with regard to any such formulations, including, without limitation, concerning the performance, efficacy or safety of any product manufactured using such formulations. EACH USER BEARS FULL RESPONSIBILITY FOR (1) MAKING ITS OWN DETERMINATION AS TO THE SUITABILITY AND LEGAL COMPLIANCE OF ANY FORMULATION, MATERIALS, RECOMMENDATIONS, OR ADVICE FOR ITS OWN PARTICULAR USE, (2) IDENTIFYING AND PERFORMING ALL TESTS AND ANALYSES NECESSARY TO A SURE THAT ITS FINISHED PRODUCTS BASED UPON EXAMPLE FORMULATIONS AND/OR INCORPORATING MENTIONED PRODUCTS, MATERIALS, OR SERVICES WILL BE SAFE AND SUITABLE FOR USE UNDER END-USE CONDITIONS, AND (3) OBTAINING ANY NECESSARY GOVERNMENT OR REGULATORY CLEARANCE, LICENSE OR REGISTRATION.

Any reference to a third party's materials is not an endorsement of those materials or an endorsement by the third party of Momentive materials. Momentive has not undertaken a comprehensive patent or other intellectual property search on the formulations. No statement contained herein concerning a possible or suggested use of any material, product, service or design is intended, or should be construed, to grant any license under any patent or other intellectual property right covering such use or design, or as a recommendation for the use of such material, product, service or design in the infringement of any patent or other intellectual property right.

BEFORE HANDLING ANY PRODUCTS MENTIONED, REVIEW THE LATEST SAFETY DATA SHEET (SDS) AND LABEL FOR PRODUCT SAFETY INFORMATION, SAFE HANDLING INSTRUCTIONS, PERSONAL PROTECTIVE EQUIPMENT IF NECESSARY, EMERGENCY SERVICE CONTACT INFORMATION, AND ANY SPECIAL STORAGE CONDITIONS REQUIRED FOR SAFETY. MOMENTIVE MAINTAINS AN AROUND-THE-CLOCK EMERGENCY SERVICE FOR ITS PRODUCTS. SDS FOR MOMENTIVE PRODUCTS ARE AVAILABLE AT WWW.MOMENTIVE.COM OR, UPON REQUEST, FROM ANY MOMENTIVE REPRESENTATIVE. USE OF OTHER MATERIALS IN CONJUNCTION WITH MOMENTIVE PRODUCTS MAY REQUIRE ADDITIONAL PRECAUTIONS. PLEASE REVIEW AND FOLLOW THE SAFETY INFORMATION PROVIDED BY THE MANUFACTURER OF SUCH OTHER MATERIALS.

THE MATERIALS, PRODUCTS AND SERVICES OF MOMENTIVE PERFORMANCE MATERIALS INC. AND ITS SUBSIDIARIES AND AFFILIATES (COLLECTIVELY "SUPPLIER"), ARE SOLD SUBJECT TO SUPPLIER'S STANDARD CONDITIONS OF SALE, WHICH ARE INCLUDED IN THE APPLICABLE DISTRIBUTOR OR OTHER SALES AGREEMENT, PRINTED ON THE BACK OF ORDER ACKNOWLEDGMENTS AND INVOICES, AND AVAILABLE UPON REQUEST. EXCEPT AS PROVIDED IN SUPPLIER'S STANDARD CONDITIONS OF SALE, SUPPLIER AND ITS REPRESENTATIVES SHALL IN NO EVENT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS OR SERVICES DESCRIBED HEREIN. Nothing in this or any other document, nor any oral recommendation or advice, shall be deemed to alter, vary, supersede, or waive any provision of Supplier's standard Conditions of Sale or this Disclaimer, unless any such modification is specifically agreed to in a writing signed by Supplier.

* SilForm, Silsoft and SilShine are trademarks of Momentive Performance Materials Inc.

Momentive and the Momentive logo are trademarks of Momentive Performance Materials Inc.