INVISISIL[™] XE13-OP007 GEL

Product Description

INVISISIL[™]XE13-OP007 is a one-component silicone gel and an excellent candidate for optical bonding applications. This product is cured by UV exposure to become a soft, tacky gel within a few seconds. The soft nature and cushioning effect of this product can offer excellent protection for electronic assemblies from mechanical shock and vibration.

Key Features

- Convenient one component formulation
- Shelf life of 9 months
- Lower viscosity; fast leveling
- UV curable
- Soft, tacky, and sticky gel

Typical Benefits

- Longer storage period
- Suitable for larger size display
- Easier and more efficient processability
- Shock absorbing capabilities offering protection to delicate mechanical components from vibration
- Excellent resistance to corrosion

Typical Physical Properties

| | Unit | XE13-OP007 | |
|--|-------------------------|-------------|--|
| Uncured Properties at23°C | | | |
| Appearance | | Transparent | |
| Viscosity at 23°C | Pas | 2.5 | |
| Specific Gravity | g/cm³ | 0.98 | |
| Refractive Index | | 1.41 | |
| Transmittance at 400nm | % | 99 | |
| Cured properties (UV LED 1000r | nJ/cm2 + 0.5hr at 60°C) | | |
| Penetration | [1/4 cone] - x10 | 35 | |
| Lap Shear Strength at 0.3mm (Glass to Glass) *1 | МРа | 0.3 | |
| Lap Shear Strength at 0.3mm (Glass to PC) *1 | MPa | 0.3 | |
| Elongation | % | 35 | |
| Dielectric Constant at 60Hz | | 2.8 | |
| Volume Expansion | ppm | 330 | |
| Thermal Conductivity | W/mK | 0.17 | |
| Haze | | <0.1 | |
| Yellowness Index (D1925) | | <0.3 | |
| b* | | <0.1 | |
| Shelf life at23°C | months | 9 | |

*1 Curing condition: UV LED 1000mJ/cm² + 3 days at 23°C

Typical properties are average data and are not to be used as or to develop specifications.

General Considerations for Use

- Materials such as water, sulfur, nitrogen compounds, organic metallic salts, phosphorus compounds, etc. contained in the surface of the substrate can inhibit curing.
- A sample patch should always be tested in order to determine compatibility.
- All parts should be as clean and dry as possible prior to application.
- Eye protection and protective gloves should always be worn when working with this product.
- Always maintain adequate ventilation in the workplace.
- Keep out of the reach of children.

Storage

- Store in a cool dry place out of direct sunlight, and below 23°C
- Shelf life at room temperature (23°C) is 9 months

Available Package

- 18Kg Steel Pail
- 10L Plastic (Gray)
- 1L Bottle (Black)

Patent Status

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute the permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

Product Safety, Handling and Storage

Customers should review the latest Safety Data Sheet (SDS) and label for product safety information, safe handling instructions, personal protective equipment, if necessary, emergency service contact information, and any special storage conditions required for safety. Momentive Performance Materials (MPM) maintains an around-the-clock emergency service for its products. SDS are available at <u>www.momentive.com</u> or, upon request, from any MPM representative. For product storage and handling procedures to maintain the product quality within our stated specifications, please review Certificates of Analysis, which are available in the Order Center. Use of other materials in conjunction with MPM products (for example, primers) may require additional precautions. Please review and follow the safety information provided by the manufacturer of such other materials.

Limitations

Customers must evaluate Momentive Performance Materials products and make their own determination as to fitness of use in their particular applications.

Contact Information

Email commercial.services@momentive.com

Telephone

| Americas +1 800 295 2392 Toll free* +704 805 6946 Direct Number | Latin America Brazil +55 11 4534 9650 Direct Number | EMEAI- Europe, Middle East, Africa & India Europe +390510924300 Direct number | ASIA PACIFIC China 800 820 0202 Toll free +86 21 3860 4892 Direct number |
|---|--|---|---|
| *All American countries | Mexico +52 55 2169 7670 Direct Number | India, Middle East & Africa + 91 44 71212207 Direct number* *All Middle Eastern countries, Africa, India, | Japan +81 3 5544 3111 Direct number Korea +82 2 6201 4600 |
| | | Pakistan, Bangladesh, Sri Lanka. | Direct number South East Asia, Australia & New Zealand +60 3 9206 1543 Direct number* |
| | | | *South East Asia countries (Malaysia, Singapore, Thailand, Indonesia, Vietnam, Philippines, Cambodia, Myanmar / other countries located in Pacific region). |

For literature and technical assistance, visit our website at: <u>www.momentive.com</u>

DISCLAIMER:

THE MATERIALS, PRODUCTS AND SERVICES OF MOMENTIVE PERFORMANCE MATERIALS INC. AND ITS SUBSIDIARIES AND AFFILIATES (COLLECTIVELY "SUPPLIER"), ARE SOLD SUBJECT TO SUPPLIER'S STANDARD CONDITIONS OF SALE, WHICH ARE INCLUDED IN THE APPLICABLE DISTRIBUTOR OR OTHER SALES AGREEMENT, PRINTED ON THE BACK OF ORDER ACKNOWLEDGMENTS AND INVOICES, AND AVAILABLE UPON REQUEST. ALTHOUGH ANY INFORMATION, RECOMMENDATIONS, OR ADVICE CONTAINED HEREIN IS GIVEN IN GOOD FAITH, SUPPLIER MAKES NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, (i) THAT THE RESULTS DESCRIBED HEREIN WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN INCORPORATING ITS PRODUCTS, MATERIALS, SERVICES, RECOMMENDATIONS OR ADVICE. EXCEPT AS PROVIDED IN SUPPLIER'S STANDARD CONDITIONS OF SALE, SUPPLIER AND ITS REPRESENTATIVES SHALL IN NO EVENT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS OR SERVICES DESCRIBED HEREIN. Each user bears full responsibility for making its own determination as to the suitability of Supplier's materials, services, recommendations, or advice for its own particular use. Each user must identify and perform all tests and analyses necessary to assure that its finished parts incorporating Supplier's products, materials, or services will be safe and suitable for use under end-use conditions. Nothing in this or any other document, nor any oral recommendation or advice, shall be deemed to alter, vary, supersede, or waive any provision of Supplier's standard Conditions of Sale or this Disclaimer, unless any such modification is specifically agreed to in a writing signed by Supplier. No statement contained herein concerning a possible or suggested use of any material, product, service or design is intended, or should be construed, to grant any license under any patent or other intellectual property right of Supplier covering such use or design, or as a recommendation for the use of such material, product, service or design in the infringement of any patent or other intellectual property right.

The use of the "TM" symbol designates registered or unregistered trademarks of Momentive Performance Materials Inc. or its affiliated companies. Momentive and the Momentive logo are trademarks of Momentive Performance Materials Inc.



260 Hudson River Road Waterford, NY 12188 USA momentive.com

Copyright 2022 Momentive Performance Materials Inc. All rights reserved.