

Baysilone* OF-TP3309

Baysilone* OF-TP3309

Description

Baysilone OF TP 3309 is a 100% active branched aminofunctional polyorganosiloxane containing ethoxy groups. It is solvent-free, with ammonia-like odour. The product is recommended for use as a base fluid for emulsions which are used in the textile industry to improve handle and elastic recovery; for the improvement of the water-repellent treatment of leather; for the manufacture of detergent-resistant polishes; and as an ingredient of wash-and-wax shampoos for coated surfaces. As the textile industry almost exclusively employs aqueous application techniques, Baysilone OF TP 3309, a water insoluble material, must first be emulsified. The emulsified fluid may be added to other textile finishing agents as required and diluted as necessary. It can also be sprayed or applied through dipping both as an emulsion and when dissolved in organic solvents. The concentration must be determined by previous tests.

Key Features and Benefits

- Imparts softness and elastic recovery to fabrics
- Imparts water-repellency to leather
- Detergent resistant additive in polishes
- Easy to emulsify

Typical Physical Properties

Property	Unit	Value
Density	g/cm ³	0.980
Viscosity at 25°C	mm ² /s	200
Amine Equivalent	meq/g	~ 0.33

Containers

Baysilone OF TP 3309 is available in 190 kg drums.

Patent Status

Standard copy to come

Product Safety, Handling and Storage

The warranty period is 12 months from date of shipment from Momentive Performance Materials if stored in the original unopened container at a temperature below 50 °C.

The product is sensitive to frost.

Standard copy to come

Limitations

Standard copy to come

Contact Information

For product prices, availability, or order placement, contact our customer service at [Momentive.com/Customerservice/](https://www.momentive.com/Customerservice/)

For literature and technical assistance, visit our website at: www.momentive.com

DISCLAIMER:

THE MATERIALS, PRODUCTS AND SERVICES OF MOMENTIVE PERFORMANCE MATERIALS INC. AND ITS SUBSIDIARIES AND AFFILIATES (COLLECTIVELY “SUPPLIER”), ARE SOLD SUBJECT TO SUPPLIER’S STANDARD CONDITIONS OF SALE, WHICH ARE INCLUDED IN THE APPLICABLE DISTRIBUTOR OR OTHER SALES AGREEMENT, PRINTED ON THE BACK OF ORDER ACKNOWLEDGMENTS AND INVOICES, AND AVAILABLE UPON REQUEST. ALTHOUGH ANY INFORMATION, RECOMMENDATIONS, OR ADVICE CONTAINED HEREIN IS GIVEN IN GOOD FAITH, SUPPLIER MAKES NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, (i) THAT THE RESULTS DESCRIBED HEREIN WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN INCORPORATING ITS PRODUCTS, MATERIALS, SERVICES, RECOMMENDATIONS OR ADVICE. EXCEPT AS PROVIDED IN SUPPLIER’S STANDARD CONDITIONS OF SALE, SUPPLIER AND ITS REPRESENTATIVES SHALL IN NO EVENT BE RESPONSIBLE

FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS OR SERVICES DESCRIBED HEREIN. Each user bears full responsibility for making its own determination as to the suitability of Supplier's materials, services, recommendations, or advice for its own particular use. Each user must identify and perform all tests and analyses necessary to assure that its finished parts incorporating Supplier's products, materials, or services will be safe and suitable for use under end-use conditions. Nothing in this or any other document, nor any oral recommendation or advice, shall be deemed to alter, vary, supersede, or waive any provision of Supplier's standard Conditions of Sale or this Disclaimer, unless any such modification is specifically agreed to in a writing signed by Supplier. No statement contained herein concerning a possible or suggested use of any material, product, service or design is intended, or should be construed, to grant any license under any patent or other intellectual property right of Supplier covering such use or design, or as a recommendation for the use of such material, product, service or design in the infringement of any patent or other intellectual property right.

Momentive and the Momentive logo are trademarks of Momentive Performance Materials Inc.