

## AF9030E

### Description

AF9030E is a 30% antifoam emulsion of polydimethylsiloxane useful for defoaming aqueous systems. AF9030E may be used in both industrial and food grade applications.

### Key Features and Benefits

- Easy dispersibility
- Dilutable with water
- Excellent foam control

### Typical Physical Properties

| Property                 | Value       |
|--------------------------|-------------|
| Appearance               | Milky white |
| Silicone Solids (active) | 30%         |
| Specific Gravity         | 1.01        |
| Viscosity                | 5000 cps    |
| Emulsifier Type          | Nonionic    |
| Diluent                  | Water       |

### Potential Applications

| Food                           | Industrial                       |
|--------------------------------|----------------------------------|
| Fruit and vegetable processing | Carpet cleaning                  |
| Jam and jelly making           | Pesticide/herbicide formulations |
| Wine production                | Chemical distillations           |
| Fermentation processes         | Waste water treatment            |

## Processing Recommendations

The amount of antifoam required will be dependent upon the application, however, it is recommended that evaluations begin at 10 ppm of active silicone. While there is no limit to the silicone concentration that may be used in industrial applications, in food grade applications the silicone concentration must not exceed 10 ppm (consult applicable FDA regulations for conditions or limitations of use). Prior to addition to the foaming solution, AF9010E should be gently agitated to insure emulsion uniformity. The AF9010E may then be used as received or may be prediluted with cool water before addition to the foaming solution.

The concentrations of AF9030 required to achieve a silicone level of 10 ppm are listed below:

| Foaming Solution Volume (gallons) | AF9030 Concentration (ounces) |
|-----------------------------------|-------------------------------|
| 500                               | 2.2                           |
| 1000                              | 4.4                           |
| 3000                              | 13.4                          |

**\* Not for injection into humans**

## Specifications

### REGULATORY STATUS

#### **FDA**

AF9030E may be used in food contact applications where FDA regulations apply. Consult Momentive Performance Materials publication #4256 for applicable regulations for specific limitations and conditions of use.

#### **Kosher Certification**

AF9030E is certified to be Kosher and Parve.

#### **USDA**

AF9030E may be used on equipment which may contact edible products in official establishments operating under the Federal Meat and Poultry Products Inspection Program. See reference #4256 for specific details.

#### **EPA Pesticide Chemical Regulations**

The ingredients in AF9030E are exempt from the requirement of a tolerance under EPA regulation 40 CFR 180.1001 (d) {growing crops only}.

### Patent Status

Standard copy to come

### Product Safety, Handling and Storage

The warranty period is 12 months from date of shipment from Momentive Performance Materials if stored in the original unopened container above at 4 to 27°C (40 to 80°F).

Standard copy to come

### Limitations

Standard copy to come

### Contact Information

Email

[commercial.services@momentive.com](mailto:commercial.services@momentive.com)

### Telephone

| <b>Americas</b>         | <b>Latin America</b> | <b>EMEAI- Europe, Middle East, Africa &amp; India</b> | <b>ASIA PACIFIC</b> |
|-------------------------|----------------------|---|---------------------|
| +1 800 295 2392         | <b>Brazil</b>        | <b>Europe</b>   | <b>China</b>        |
| Toll free*              | +55 11 4534 9650     | +390510924300   | 800 820 0202        |
| +704 805 6946           | Direct Number        | Direct number   | Toll free           |
| Direct Number           |                      |   | +86 21 3860 4892    |
|                         |                      |   | Direct number       |
| *All American countries | <b>Mexico</b>        | <b>India, Middle East &amp; Africa</b>                | <b>Japan</b>        |
|                         | +52 55 2169 7670     | + 91 44 71212207                                      | +81 3 5544 3111     |
|                         | Direct Number        | Direct number*  | Direct number       |
|                         |                      | <b>*All Middle Eastern countries, Africa, India,</b>  | <b>Korea</b>        |
|                         |                      |   | +82 2 6201 4600     |

For literature and technical assistance, visit our website at: [www.momentive.com](http://www.momentive.com)

**DISCLAIMER:**

**THE MATERIALS, PRODUCTS AND SERVICES OF MOMENTIVE PERFORMANCE MATERIALS INC. AND ITS SUBSIDIARIES AND AFFILIATES (COLLECTIVELY “SUPPLIER”), ARE SOLD SUBJECT TO SUPPLIER’S STANDARD CONDITIONS OF SALE, WHICH ARE INCLUDED IN THE APPLICABLE DISTRIBUTOR OR OTHER SALES AGREEMENT, PRINTED ON THE BACK OF ORDER ACKNOWLEDGMENTS AND INVOICES, AND AVAILABLE UPON REQUEST. ALTHOUGH ANY INFORMATION, RECOMMENDATIONS, OR ADVICE CONTAINED HEREIN IS GIVEN IN GOOD FAITH, SUPPLIER MAKES NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, (i) THAT THE RESULTS DESCRIBED HEREIN WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN INCORPORATING ITS PRODUCTS, MATERIALS, SERVICES, RECOMMENDATIONS OR ADVICE. EXCEPT AS PROVIDED IN SUPPLIER’S STANDARD CONDITIONS OF SALE, SUPPLIER AND ITS REPRESENTATIVES SHALL IN NO EVENT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS OR SERVICES DESCRIBED HEREIN.** Each user bears full responsibility for making its own determination as to the suitability of Supplier’s materials, services, recommendations, or advice for its own particular use. Each user must identify and perform all tests and analyses necessary to assure that its finished parts incorporating Supplier’s products, materials, or services will be safe and suitable for use under end-use conditions. Nothing in this or any other document, nor any oral recommendation or advice, shall be deemed to alter, vary, supersede, or waive any provision of Supplier’s standard Conditions of Sale or this Disclaimer, unless any such modification is specifically agreed to in a writing signed by Supplier. No statement contained herein concerning a possible or suggested use of any material, product, service or design is intended, or should be construed, to grant any license under any patent or other intellectual property right of Supplier covering such use or design, or as a recommendation for the use of such material, product, service or design in the infringement of any patent or other intellectual property right.

The use of the “™” symbol designates registered or unregistered trademarks of Momentive Performance Materials Inc. or its affiliated companies. Momentive and the Momentive logo are trademarks of Momentive Performance Materials Inc.