

**Technical Data Sheet** 

# Silquest<sup>™</sup> G-170

Description

Silquest G-170 silane is a proprietary vinyl-functional silane coupling agent which can substantially reduce the volatile alcohol byproducts during the manufacture of wire and cable (W&C) jacketing.

Silquest G-170 silane has been shown to promote adhesion between unsaturated resins, polyolefins or rubbers and inorganic substrates including fiberglass, silica, siliceous fillers, pigments and many metal oxides.

This vinyl silane is an excellent candidate to consider for the manufacture of EPDM cross-linked low and medium voltage W&C jacketing, for lessening the environmental impact of methyl cellosolve emissions that are by-products of alternative products.

# **Key Features and Benefits**

• Adhesion of organic polymers to inorganic fillers, halogen-free flame retardants, pigments or metal surfaces.

• Improves the electrical and tensile strength properties of ethylene/propylene/diene rubber and polyethylene resins after wet-conditioning,especially important for wire and cable applications.

- Enhances the strength of cured, glass fiber or filled reinforced polyester resin composites, especially after wet-conditioning.
- Lowers volatile organic content (VOC's) during use.

Typical Physical Properties

Appearance	Clear Liquid	
Color	Light Straw	
Acidity as Chloride, ppm	1	
Solubility Hatch Number, NTU	6.0	
Flash Point,°C (°F)	120 (248)	

### Applications

Silquest G-170 silane is a coupling agent useful in glass- fiber reinforced polyester resin.

As a coupling agent, Silquest G-170 silane is suited for direct addition to kaolin-filled EPDM rubbers used in wire and cable jacketing.

As a pretreatment for particulate HFFR fillers, such as magnesium dihydroxide or aluminum trihydate, Silquest G-170 silane is used in HFFR compounds based upon polyolefins, EPDM rubber or other resins.

Soluble in toluene, xylene, acetone and many alcohols. Reacts with water especially if the pH of the water is adjusted to 3-4.

# Patent Status

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute the permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

# Product Safety, Handling and Storage

Customers should review the latest Safety Data Sheet (SDS) and label for product safety information, safe handling instructions, personal protective equipment if necessary, emergency service contact information, and any special storage conditions required for safety. Momentive Performance Materials (MPM) maintains an aroundthe-clock emergency service for its products. SDS are available at www.momentive.com or, upon request, from any MPM representative. For product storage and handling procedures to maintain the product quality within our stated specifications, please review Certificates of Analysis, which are available in the Order Center. Use of other materials in conjunction with MPM products (for example, primers) may require additional precautions. Please review and follow the safety information provided by the manufacturer of such other materials.

#### Limitations

Customers must evaluate Momentive Performance Materials products and make their own determination as to fitness of use in their particular applications.

# Contact Information Email commercial.services@momentive.com

#### Telephone

Americas	Latin America	EMEAI- Europe, Middle East, Africa & India	ASIA PACIFIC
+1 800 295 2392	Brazil	Europe	China
Toll free*	+55 11 4534 9650	+390510924300	800 820 0202
+704 805 6946	Direct Number	Direct number	Toll free
Direct Number			+86 21 3860 4892
			Direct number
*All American	Mexico	India, Middle East &	Japan
countries	+52 55 2169 7670	Africa	+81 3 5544 3111
	Direct Number	+ 91 44 71212207	Direct number
		Direct number*	
		*All Middle Eastern	Korea
		countries, Africa, India,	+82 2 6201 4600

For literature and technical assistance, visit our website at: www.momentive.com

### DISCLAIMER:

# THE MATERIALS, PRODUCTS AND SERVICES OF MOMENTIVE PERFORMANCE MATERIALS INC. AND ITS SUBSIDIARIES AND AFFILIATES (COLLECTIVELY "SUPPLIER"), ARE SOLD SUBJECT TO SUPPLIER'S STANDARD CONDITIONS

OF SALE. WHICH ARE INCLUDED IN THE APPLICABLE DISTRIBUTOR OR OTHER SALES AGREEMENT, PRINTED ON THE BACK OF ORDER ACKNOWLEDGMENTS AND INVOICES, AND AVAILABLE UPON REQUEST. ALTHOUGH ANY INFORMATION, RECOMMENDATIONS, OR ADVICE CONTAINED HEREIN IS GIVEN IN GOOD FAITH, SUPPLIER MAKES NO WARRANTY OR **GUARANTEE, EXPRESS OR IMPLIED, (i) THAT THE RESULTS DESCRIBED** HEREIN WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN INCORPORATING ITS PRODUCTS, MATERIALS, SERVICES, RECOMMENDATIONS OR ADVICE. EXCEPT AS PROVIDED IN SUPPLIER'S STANDARD CONDITIONS OF SALE. SUPPLIER AND ITS REPRESENTATIVES SHALL IN NO EVENT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS **OR SERVICES DESCRIBED HEREIN.** Each user bears full responsibility for making its own determination as to the suitability of Supplier's materials, services, recommendations, or advice for its own particular use. Each user must identify and perform all tests and analyses necessary to assure that its finished parts incorporating Supplier's products, materials, or services will be safe and suitable for use under end-use conditions. Nothing in this or any other document, nor any oral recommendation or advice, shall be deemed to alter, vary, supersede, or waive any provision of Supplier's standard Conditions of Sale or this Disclaimer, unless any such modification is specifically agreed to in a writing signed by Supplier. No statement contained herein concerning a possible or suggested use of any material, product, service or design is intended, or should be construed, to grant any license under any patent or other intellectual property right of Supplier covering such use or design, or as a recommendation for the use of such material, product, service or design in the infringement of any patent or other intellectual property right.

### \*Silquest™是 Momentive Performance Materials Inc. 的商标

The use of the "TM" symbol designates registered or unregistered trademarks of Momentive Performance Materials Inc. or its affiliated companies. Momentive and the Momentive logo are trademarks of Momentive Performance Materials Inc.